

L Number	Hits	Search Text	DB	Time stamp
2	241	(CARROLL.in. and "Charles")	USPAT; EPO; JPO; DERWENT	2002/03/25 16:29
3	6	paul near smalser	USPAT; EPO; JPO; DERWENT	2002/03/25 16:29
4	61	(CARROLL near charles)	USPAT; EPO; JPO; DERWENT	2002/03/25 16:43
5	36	(ocean near power near technolog\$3).as.	USPAT; EPO; JPO; DERWENT	2002/03/25 16:46
6	2	290/\$.ccls. and dynami\$3 near brak\$4 and (water wave\$3 ocean tid\$3) near (energ\$3 generator)	USPAT; EPO; JPO; DERWENT	2002/03/25 16:54
7	4	((("6205405") or ("4461957") or ("4774855") or ("4146264")).PN.	USPAT	2002/03/25 17:34
14	6	290/\$.ccls. and dynami\$3 near brak\$4 and (water wave\$3 ocean tid\$3 wind) near (energ\$3 generator)	USPAT; EPO; JPO; DERWENT	2002/03/25 16:54
15	37	dynami\$3 near brak\$4 and (water wave\$3 ocean tid\$3) near (energ\$3 generator)	USPAT; EPO; JPO; DERWENT	2002/03/25 18:17
16	0	((("6205405") or ("4461957") or ("4774855") or ("4146264")).PN.) and brak\$3	USPAT	2002/03/25 17:37
17	1	((("6205405") or ("4461957") or ("4774855") or ("4146264")).PN.) and var\$7 near3 load	USPAT	2002/03/25 17:38
18	1	("6137187").PN.	USPAT	2002/03/25 18:20
19	1	("6300689").PN.	USPAT	2002/03/25 18:21
20	7	("4891744" "4973896" "5083039" "5406190" "5559685" "5903116" "5942818").PN.	USPAT	2002/03/25 18:39
21	14	5083039.URPN.	USPAT	2002/03/25 18:22
22	1	("5083039").PN.	USPAT	2002/03/25 18:39
23	1	((("5083039").PN.) and dynami\$5	USPAT	2002/03/25 18:41
24	2	((("4418287") or ("6137187")).PN.	USPAT	2002/03/25 18:41
-	471	290/42	USPAT	2001/02/20 13:53
-	1803	CARROLL.in.	USPAT	2001/02/20 11:59
-	145	CARROLL.in. and "Charles"	USPAT	2001/02/20 12:00
-	13	(CARROLL.in. and "Charles") and "Trenton"	USPAT	2002/03/25 16:28
-	6	SMALSER.in.	USPAT	2001/02/20 12:08
-	43	290/42 and "storm"	USPAT	2001/02/20 16:03
-	625	290/43	USPAT	2001/02/20 13:54
-	30	290/43 and "storm"	USPAT	2001/02/20 13:55
-	572	290/53	USPAT	2001/02/20 16:31
-	769	290/54	USPAT	2001/02/20 16:04
-	6	((("4754157") or ("6020653") or ("5136173") or ("5548177") or ("6109029") or ("4208877")).PN.	USPAT	2001/02/20 17:44

-	3	((("4754157") or ("6020653") or ("5136173") or ("5548177") or ("6109029") or ("4208877")).PN.) and "load"	USPAT	2001/02/20 16:32
-	4	((("5808368") or ("5872406") or ("5921082") or ("6091161")).PN.	USPAT	2001/02/20 17:03
-	2	((("5808368") or ("5872406") or ("5921082") or ("6091161")).PN.) and "load"	USPAT	2001/02/20 17:08
-	1577	"load" and "storm"	USPAT	2001/02/20 17:09
-	94	("load" and "storm") and "generator" and "waves"	USPAT	2001/02/20 17:10
-	2	4355511.URPN.	USPAT	2001/02/20 17:28
-	0	6020653.URPN.	USPAT	2001/02/20 17:29
-	0	6020653.URPN.	USPAT	2001/02/20 17:29
-	8	4754157.URPN.	USPAT	2001/02/20 17:29
-	2	5136173.URPN.	USPAT	2001/02/20 17:30
-	3	((("4754157") or ("6020653") or ("5136173")).PN.	USPAT	2001/02/20 18:00
-	2	((("5548177") or ("4208877")).PN.	USPAT	2001/02/20 18:08
-	5	((("5808368") or ("5921082") or ("6091161") or ("5872406") or ("6109029")).PN.	USPAT	2001/02/20 18:09
-	3	((("5808368") or ("5921082") or ("6091161") or ("5872406") or ("6109029")).PN.) and "storm" and "load"	USPAT	2001/02/20 18:10
-	231	290/\$.ccls. and load and generator and (vary\$ or chang\$) near (load or impedance)	USPAT	2001/08/01 14:39
-	245	290/\$.ccls. and (vary\$ or chang\$) near (load or impedance)	USPAT	2001/08/01 13:14
-	0	(290/\$.ccls. and (vary\$ or chang\$) near (load or impedance)) and generator\$ near (impedance or resistance) near increas\$	USPAT	2001/08/01 10:54
-	4	generator\$ near (impedance or resistance) near increas\$	USPAT	2001/08/01 10:57
-	6	generator\$ near (impedance or resistance) near increas\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/01 11:01
-	99	decreas\$ near efficien\$ near (generator or dynamo or motor or alternator)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/01 12:25
-	3	(290/\$.ccls. and (vary\$ or chang\$) near (load or impedance)) and increas\$ near (current or power) near generator	USPAT	2001/08/01 13:21
-	33857	(vary\$ or chang\$) near (load or impedance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/01 15:16
-	9	((vary\$ or chang\$) near (load or impedance)) and increas\$ near (current or power) near generator	USPAT	2001/08/01 13:22
-	6	290/43 and var\$ near load	USPAT	2001/08/09 12:07
-	4	290/42 and var\$ near load	USPAT	2001/08/01 14:51

-	0	290/53 and var\$ near load	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/01 15:10
-	0	290/54 and var\$ near load	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/01 14:51
-	0	60/398 and var\$ near load	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/01 15:10
-	0	416/83 and var\$ near load	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/09 09:23
-	0	416/82 and var\$ near load	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/01 15:11
-	0	415/7 and var\$ near load	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/01 15:11
-	0	415/151 and var\$ near load	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/09 11:53
-	0	405/75 and var\$ near load	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/09 09:23
-	0	405/76 and var\$ near load	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/01 15:12
-	0	405/79 and var\$ near load	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/01 15:12
-	0	415/148 and var\$ near load	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/01 15:13
-	0	415/60 and var\$ near load	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/01 15:14
-	0	415/\$.cccls. and var\$ near load	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/01 15:14
-	0	60/\$.cccls. and var\$ near load	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/01 15:15

-	0	405/\$.ccls. and var\$ near load	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/01 15:15
-	5795	(vary\$) near (load)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/01 15:20
-	1177	((vary\$) near (load)) and (wind or water or sea)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/01 15:22
-	367	((vary\$) near (load)) and (wind or water or sea)) and generator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/01 15:25
-	81	((((vary\$) near (load)) and (wind or water or sea)) and generator) and impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/01 15:25
-	3	290/42 and variable\$ near (resistance or impedance)	USPAT	2001/08/08 14:20
-	5	290/43 and variable\$ near (resistance or impedance)	USPAT	2001/08/08 14:21
-	2	290/53 and variable\$ near (resistance or impedance)	USPAT	2001/08/08 14:21
-	3	290/54 and variable\$ near (resistance or impedance)	USPAT	2001/08/08 15:02
-	10	307/45 and variable\$ near (resistance or impedance)	USPAT	2001/08/08 15:25
-	14	307/86 and variable\$ near (resistance or impedance)	USPAT	2001/08/08 15:26
-	14	307/87 and variable\$ near (resistance or impedance)	USPAT	2001/08/08 15:26
-	1	74/686 and variable\$ near (resistance or impedance)	USPAT	2001/08/08 15:26
-	1	74/705 and variable\$ near (resistance or impedance)	USPAT	2001/08/08 16:46
-	4	422/62 and variable\$ near (resistance or impedance)	USPAT	2001/08/08 15:44
-	17	generator near (wind or water or sea) and variable\$ near (resistance or impedance)	USPAT; EPO; JPO; DERWENT	2001/08/08 17:20
-	0	415/7 and variable\$ near (resistance or impedance)	USPAT	2001/08/08 17:03
-	0	415/151 and variable\$ near (resistance or impedance)	USPAT	2001/08/08 17:09
-	0	415/60 and variable\$ near (resistance or impedance)	USPAT	2001/08/08 17:14
-	0	416/82 and variable\$ near (resistance or impedance)	USPAT	2001/08/08 17:17
-	3	60/398 and variable\$ near (resistance or impedance)	USPAT	2001/08/09 09:22
-	1	416/83 and variable\$ near (resistance or impedance)	USPAT	2001/08/08 17:23
-	3	((("4461957") or ("4510397") or ("4617991")).PN.	USPAT	2001/08/08 17:24
-	4	4461957.URPN.	USPAT	2001/08/08 17:25
-	10	("3974395" "4146264" "4291233" "4333018" "4357542" "4366387" "4410806" "4418287" "4420692" "4421967").PN.	USPAT	2001/08/09 11:11
-	3	60/398 and variable\$ near (resistance or impedance)	USPAT	2001/08/09 09:23

-	3	60/398 and variable\$ near (resistance or impedance)	USPAT	2001/08/09 09:23
-	0	416/83 and var\$ near load	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/09 09:24
-	0	405/75 and var\$ near load	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/09 09:24
-	0	416/83 and var\$ near loa	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/09 09:24
-	3	60/398 and variable\$ near (resistance or impedance)	USPAT	2001/08/09 09:24
-	10	("3974395" "4146264" "4291233" "4333018" "4357542" "4366387" "4410806" "4418287" "4420692" "4421967").PN.	USPAT	2001/08/09 11:14
-	9	(("3974395" "4146264" "4291233" "4333018" "4357542" "4366387" "4410806" "4418287" "4420692" "4421967").PN.) and (load or variable or impedance or resistance)	USPAT	2001/08/09 11:51
-	11	3974395.URPN.	USPAT	2001/08/09 11:29
-	5	("1366844" "2118124" "2148804" "2152576" "2178679").PN.	USPAT	2001/08/09 11:42
-	11	3974395.URPN.	USPAT	2001/08/09 11:43
-	302	60/398 and (load or variable or impedance or resistance)	USPAT	2001/08/09 11:52
-	16	60/640 and (load or variable or impedance or resistance)	USPAT	2001/08/09 11:52
-	47	60/502 and (load or variable or impedance or resistance)	USPAT	2001/08/09 11:52
-	126	60/497 and (load or variable or impedance or resistance)	USPAT	2001/08/09 11:52
-	109	60/495 and (load or variable or impedance or resistance)	USPAT	2001/08/09 11:52
-	9	416/6 and (load or variable or impedance or resistance)	USPAT	2001/08/09 11:52
-	40	416/86 and (load or variable or impedance or resistance)	USPAT	2001/08/09 11:52
-	105	417/334 and (load or variable or impedance or resistance)	USPAT	2001/08/09 11:52
-	112	417/331 and (load or variable or impedance or resistance)	USPAT	2001/08/09 11:52
-	0	60/398 and var\$ near (load or resistance or impedance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/09 11:54
-	0	60/640 and var\$ near (load or resistance or impedance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/09 11:54
-	0	60/502 and var\$ near (load or resistance or impedance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/09 11:55

-	0	60/497 and var\$ near (load or resistance or impedance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/09 11:55
-	0	60/495 and var\$ near (load or resistance or impedance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/09 11:55
-	0	416/6 and var\$ near (load or resistance or impedance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/09 11:56
-	0	416/86 and var\$ near (load or resistance or impedance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/09 11:56
-	0	417/334 and var\$ near (load or resistance or impedance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/09 11:56
-	0	417/331 and var\$ near (load or resistance or impedance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/09 11:57
-	0	417/\$.ccls. and var\$ near (load or resistance or impedance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/09 11:58
-	0	416/\$.ccls. and var\$ near (load or resistance or impedance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/09 11:58
-	0	60/\$.ccls. and var\$ near (load or resistance or impedance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/09 12:11
-	0	290/\$.ccls. and var\$ near (load or resistance or impedance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/09 12:10
-	0	290/\$.ccls. and var\$ near load	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/09 12:06
-	0	290/43 and var\$ near load	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/09 12:07
-	6	290/43 and var\$ near load	USPAT	2001/08/09 12:08
-	57	290/\$.ccls. and var\$ near load	USPAT	2001/08/09 12:11
-	0	290/\$.ccls. and var\$ near (load or resistance or impedance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/09 12:10
-	190	60/\$.ccls. and var\$ near load	USPAT	2001/08/09 12:15

-	17	416/\$.ccls. and var\$ near load	USPAT	2001/08/09 12:13
-	74	417/\$.ccls. and var\$ near load	USPAT	2001/08/09 12:26
-	0	(60/\$.ccls. and var\$ near load) and water near generator	USPAT	2001/08/09 12:15
-	0	417/334 and var\$ near load	USPAT	2001/08/09 12:26
-	1	417/331 and var\$ near load	USPAT	2001/08/09 12:26
-	0	416/6 and var\$ near load	USPAT	2001/08/09 12:27
-	1	416/86 and var\$ near load	USPAT	2001/08/09 12:27
-	2	60/398 and var\$ near load	USPAT	2001/08/09 12:27
-	0	60/640 and var\$ near load	USPAT	2001/08/09 12:27
-	2	60/495 and var\$ near load	USPAT	2001/08/09 12:27
-	1	60/497 and var\$ near load	USPAT	2001/08/09 12:30
-	0	60/502 and var\$ near load	USPAT	2001/08/09 12:28
-	115690	60/497 and var\$ near load or impedance	USPAT	2001/08/09 12:31
-	1	60/497 and var\$ near (load or impedance)	USPAT	2001/08/09 12:32
-	1	60/497 and var\$ near (load or impedance or resistance)	USPAT	2001/08/09 12:33
-	2	60/495 and var\$ near (load or impedance or resistance)	USPAT	2001/08/09 12:33
-	0	60/640 and var\$ near (load or impedance or resistance)	USPAT	2001/08/09 12:33
-	0	60/502 and var\$ near (load or impedance or resistance)	USPAT	2001/08/09 12:34
-	5	60/398 and var\$ near (load or impedance or resistance)	USPAT	2001/08/09 12:34
-	0	416/6 and var\$ near (load or impedance or resistance)	USPAT	2001/08/09 12:35
-	1	416/86 and var\$ near (load or impedance or resistance)	USPAT	2001/08/09 12:35
-	1	417/334 and var\$ near (load or impedance or resistance)	USPAT	2001/08/09 12:35
-	3	417/331 and var\$ near (load or impedance or resistance)	USPAT	2001/08/09 12:44
-	2	((("4461957") or ("3974395")).PN.	USPAT	2001/08/09 13:13
-	0	((("4461957") or ("3974395")).PN.) and var\$ near load	USPAT	2001/08/09 13:14
-	1	("4461957").PN.	USPAT	2001/08/09 14:42
-	0	voltage\$ near regulat\$ near independen\$ near rot\$	USPAT; EPO; JPO; DERWENT	2001/08/09 17:45